Intended Audience

This document is meant for Area Administrators. Only they have the necessary privileges to change the setting mentioned in this document. Advanced Schedulers may find it helpful in understanding why they can or cannot see something and maybe who to ask if they would like it to be changed.

Terminology

Object – any individual item that can have its own security settings.

- Event
- Location
- Resource

Viewing Events on Calendars

First I need to clarify that when we refer to calendars we are not talking about any of the calendars you look at in 25Live. The Calendars I am referring to are those you can have created and displayed on your webpage.

The events that display on these calendars is determined by advanced event searches created in 25Live. So you can create many different calendars that either include or exclude events by many different criteria. If an event is added to a calendar all information that is set to display on that calendar will be visible regardless of security setting in 25Live.

If you are not familiar with Advanced Searches and need help figuring them out email the system administrator to get on a list for the next training session.

In 25Live

The ability of a person to see an object and what details about events depends on several different security settings for the security group they are in.

Note: although these security settings can be changed certain setting can only be changed by certain users. Only System Administrators have access to change all settings.

Security on Events

Control a user's access to the events from the Events tab in 25Live. Can they see the event and/or can they edit the event. Also determine if they see the Event Name on the Locations Tab or the word "private".

Events have their own object level security which is set by the folder they go into. This is completely independent of what Location(s) are on the event. What goes in a folder is determined by the security group of the user who creates the event. So all of the events you create as a requestor or a scheduler will go into the same folder and have the same security. It is important to note that the security is set based on what was set on the folder at the time the event was created. If you change the security on the folder it does not change the security of all events in the folder.

How is it set?

Settings are initially made based on the Security Group Spreadsheet completed upon initial setup by a department. These setting can be changed by the System Administrator or the Area Administrator for that department. This is done through the Admin Utility under the Events Tab by selecting Manage Folders then navigating to your folder, it should be the only folder you can see. Select the folder, then click the edit button. The security options you want to change are under Security for Child Events, New Event Rights.

DO NOT change any other security settings. Doing so can break your departments ability to create any events!

DO NOT change security for any of the below security groups! Users who are found to have changed these privileges will lose the ability to make such changes in the future.

- ALL Facilities Administrators (View Only)
- ALL Facilities Schedulers (View Only)
- ALL Risk Management (Edit)
- ALL System Administrators (Edit, Delete, Copy)
- ALL(UAA) Master Calendar Approvers (View Only)
- ALL(UAA) University Police Dept. (View Only)
- UAA(SIS) Class Schedule Admins (View Only)

Below is a print screen example.

NEW EVENT RIGHTS						
Reset to Default	Edit, Delete, Copy	Edit	View Only	Not Visible	Has Exceptions?	
	Select All	Select All	Select All	Select All		
ALL - Facilities Administrators	0	\circ	•	\circ	No	^
ALL - Facilities Schedulers	0	0	•	0	No	
ALL - Requestors	\circ	\circ	\circ	\odot	No	
ALL - Risk Management	0	•	0	0	No	
ALL - System Administrators	•	\circ	\circ	\circ	No	
ALL(UAA) - Master Calander Approvers	0	0	•	0	No	
ALL(UAA) - University Police Dept	0	0	•	0	No	~

What does this mean?

These settings control a user's access to events through the Events tab in 25Live. Please note that what they see in the Locations column on the Events tab is determined by security settings on the Location.

Below is a list of security settings and what it means for users you give a setting.

Edit, Delete, Copy: Note: regardless of this setting only System Administrators can delete events.

- Can they see these events? Yes
- Can they edit these events? Yes
- Can they copy these events to create new events? Yes
- Can they delete these events? No
- Does the Event Name show on Location tab? Yes

Edit:

- Can they see these events? Yes
- Can they edit these events? Yes
- Can they copy these events to create new events? No
- Can they delete these events? No
- Does the Event Name show on Location tab? Yes

View Only:

- Can they see these events? Yes
- Can they edit these events? No
- Can they copy these events to create new events? No
- Can they delete these events? No
- Does the Event Name show on Location tab? Yes

Not Visible:

- Can they see these events? No
- Can they edit these events? No
- Can they copy these events to create new events? No
- Can they delete these events? No
- Does the Event Name show on Location tab? No

Security on Locations & Resources

Locations & Resources have three types of security settings. If you change a security setting for a security group it will immediately change the access for all users in that security group to that location or resource.

How is it set?

Setting are initially made based on the Security Group Spreadsheet completed upon initial setup by a department. These setting can be changed by the System Administrator or the Area Administrator for the department the Location is assigned to. This is done through the Admin Utility, under the Locations Tab by searching then selecting the Location(s). Toward the bottom of the screen you should see the different security options mentioned below.

Object Security (Part One Location Only)

Object Security

Reset to Default	Edit, Delete, Copy	Edit	View Only	Not Visible	Has Exceptions?	
	Select All	Select All	Select All	Select All		
ALL - Facilities Administrators	\circ	\odot	\circ	\circ	No	^
ALL - Facilities Schedulers	0	•	0	0	No	
ALL - Requestors	0	0	•	0	No	
ALL - Risk Management	0	0	•	0	No	
ALL - System Administrators	•	0	0	0	No	
ALL(UAA) - Master Calander Approvers	0	0	•	0	No	
ALL(UAA) - University Police Dept	0	0	•	0	No	~

What does this mean?

These settings control a user's access to only the location/resources itself. Can it be seen on the Locations/Resource Tab and can it be found when searching in the Event Wizard.

Note: if it cannot be seen it cannot be requested and just because it can be seen does not mean it can be requested.

When set on Locations, controls if the location name appears the event under the Events tab.

Below is a list of the settings and what it means for users with that setting.

Edit, Delete, Copy: Note: regardless of this setting only System Administrators can delete locations/resources.

- Can see/find the Location/Resource (applies to all tabs)? Yes
- Can edit the Location/Resource? Yes
- Can copy the Location/Resource to create a new Location/Resource? Yes
- Can delete the Location/Resource? No

Edit:

- Can see/find the Location/Resource (applies to all tabs)? Yes
- Can edit the Location/Resource? Yes
- Can copy the Location/Resource to create a new Location/Resource? No
- Can delete the Location/Resource? No

View Only:

- Can see/find the Location/Resource (applies to all tabs)? Yes
- Can edit the Location/Resource? No
- Can copy the Location/Resource to create a new Location/Resource? No
- Can delete the Location/Resource? No

Not Visible:

- Can see/find the Location/Resource (applies to all tabs)? No
- Can edit the Location/Resource? No
- Can copy the Location/Resource to create a new Location/Resource? No
- Can delete the location/resource? No

Object Security (Part Two Location on Events)

	Assign / Request † Select All	View Event Availability Select All	Events Not Visible Select All	Has Exceptions?	
ALL - Facilities Administrators	\odot	0	0	No	^
ALL - Facilities Schedulers	•	0	0	No	
ALL - Requestors	\odot	0	0	No	
ALL - Risk Management	0	0	•	No	
ALL - System Administrators	•	0	0	No	
ALL(UAA) - Master Calander Approvers	•	0	0	No	
ALL(UAA) - University Police Dept	0	0	•	No	~

[†] The ability for security group members to Assign or Request this location is determined by the group's Assignment Policy.

What does this mean?

These settings control a user's access to a Location/Resource on the Events tab and in the Event Wizard. It also controls the ability to see events assigned to the Location/Resource from the Location/Resource tab.

Note: These settings cannot override Object Security Part one. So security group must be able to see the Location for these to take effect.

Below is a list of the settings and what it means for users with that setting.

Assign/Request:

- Can see the Location/Resource Name on the Events tab? Yes
- Can see Events assigned to the Location/Resource from the Location/Resource tab? Yes
- Can add Location/Resource to an event in the Event Wizard? Yes

View Event Availability:

- Can see the Location/Resource Name on the Events tab? Yes
- Can see Events assigned to the Location/Resource from the Location/Resource tab? Yes
- Can add Location/Resource to an event in the Event Wizard? No

Events Not Visible:

- Can see the Location/Resource Name on the Events tab? No
- Can see Events assigned to the Location/Resource from the Location/Resource tab? No
- Can add Location/Resource to an event in the Event Wizard? No

Assignment Policy

Assignment Policy

Reset to Default	Assign, Unassign, Approve	Assign, Unassign	Request, Unassign	Request	Has Exceptions?	
	Select All	Select All	Select All	Select All		
ALL - Facilities Administrators	\odot	\circ	\circ	0	No	^
ALL - Facilities Schedulers	•	0	0	0	No	
ALL - Requestors	0	0	0	\odot	No	
ALL - Risk Management	0	0	0	•	No	
ALL - System Administrators	\odot	0	0	0	No	
ALL(UAA) - Master Calander Approvers	0	0	0	•	No	
ALL(UAA) - University Police Dept	0	0	0	•	No	~

What does this mean?

These settings control a user's ability to assign or unassign a Location or Resource to an event. It also controls which users receive the assign/unassign tasks for requests.

Note: A security group must have Assign/Request object permission to the object (Object Security part 2) for this security option to even apply.

Below is a list of security settings and what it means for users with that setting.

Assign, Unassign, Approve:

- Receives and can approve Assign or Unassign tasks? Yes
- Can assign to event, no assign task generated? Yes
- Can unassign from event, no unassign task generated? Yes

Assign, Unassign:

- Receives and can approve Assign or Unassign tasks? No
- Can assign to event, no assign task generated? Yes
- Can unassign from event, no unassign task generated? Yes

Request, Unassign:

- Receives and can approve Assign or Unassign tasks? No
- Can assign to event, no assign task generated? No
- Can unassign from event, no unassign task generated? Yes

Request Only:

- Receives and can approve Assign or Unassign tasks? No
- Can assign to event, no assign task generated? No
- Can unassign from event, no unassign task generated? No